



WSS
WATER SPORTS SERIES

COBALT BOATS

Your crew is in training, and you are the coach.

Designed for the wide-open, all-out adrenaline junky in all of us, the refined and versatile Water Sport Series is fully prepared for you and your demands of large, predictable wakes. Wakes that bring out the passion for flight, wakes that live inside every water sports enthusiast.

Fused with the intrinsic DNA of traditional Cobalt models and the wakeboarding advantages of a sterndrive, we present to you the Water Sport Series. WSS stands for everything that's fun on the water! Flexibility of speed when you need it, and power when demanded, the WSS delivers day in and day out. Now you hold the power to adjust wakes with the touch of a trim switch, giving both captain and boarder complete flexibility. What's in the name of WSS?

Water Sports Tower Choices with Bimini Top

They are solid, sturdy and pro-athlete strong with life-long good looks, heavy-gauged anodized aluminum and stainless steel, precision-machined billet fittings. The WSS towers and arches are designed with integrated billet board racks for your favorite boards and with a flip of a swivel-lock, swing the racks inboard for easy access. And we can't forget the optional tower lights, and driver's rear-view mirror, and directional speakers with 360 degree flexibility, well, you see this is not just another wakeboard want-to-be.


Exterior Graphics

Our Design Your Dream tool has thousands of color combinations to create your own masterpiece. All showcased by the chrome WSS hull emblem and a WSS badge at the transom. Customize your Cobalt simply because – you deserve it.

Interior Styling

WSS customization continues inside with finishing touches that include WSS badging and a choice of color-matched piping complimented by our champagne vinyl, an offering exclusive for the WSS. Finally, the dash panel is highlighted in a carbon tone for the finishing touch.

A DAY WITHOUT AN AGENDA. GAME ON.





Features and Options	200	210	220	R3	R5	R7	24SD	26SD
Razor Folding Water Sports Tower	S	S	S	N/A	N/A	N/A	N/A	N/A
White Aluminum Folding Arch	O	O	O	O	O	O	S	S
Black Aluminum Folding Arch	O	O	O	O	O	O	O	O
White Aluminum Electric Folding Arch	O	O	O	O	O	O	O	O
Black Aluminum Electric Folding Arch	O	O	O	O	O	O	O	O
Custom Stainless Steel & Aluminum Arch	N/A	N/A	N/A	S	S	S	N/A	N/A
Integrated Board Racks	S	S	S	S	S	S	S	S
Arch/Tower Bimini Top	S	S	S	S	S	S	S	S
Sof Trac Platform Mat	S	S	S	S	S	S	S	S
Interior Upgrade (Piping Colors, Badging)	S	S	S	S	S	S	S	S
2 Color Sport WSS Hull Graphic	S	S	S	S	S	S	S	S
3 Color Classic WSS Hull Graphic	O	O	O	S	S	S	S	S
Cruise Control (GPS)	O	O	O	O	O	O	O	O
Tower Speakers	O	O	O	O	O	O	O	O
Transom Stereo Remote	O	O	O	O	O	O	O	O
Trim Tabs	N/A	N/A	N/A	O	O	O	O	O
Driver's Rear View Mirror	O	O	O	O	O	O	O	O
Premium Sound Upgrade	O	O	O	O	O	O	O	O
Satellite Radio	O	O	O	O	O	O	O	O
Trim Tabs	N/A	N/A	N/A	O	O	O	O	O
Driver's Rear View Mirror	O	O	O	O	O	O	O	O
Premium Sound Upgrade	O	O	O	O	O	O	O	O
Satellite Radio	O	O	O	O	O	O	O	O



200 **WSS**

COBALT 200 **WSS**



SPECIFICATIONS

Length Overall w/o Swim Platform	19' 4"	5.89 m
Length Overall w/ Swim Platform	20' 10"	6.35 m
Beam	8' 4"	2.54 m
Deadrise at Transom	20°	20°
Fuel Capacity	40 gal.	151 L
Freshwater Capacity	10 gal.	38 L
Bridge Clearance w/o Bimini	3' 11"	1.19 m
Bridge Clearance w/Tower	6' 10"	2.08 m
Draft Drive Up	24"	.61m
Draft Drive Down	37"	.94m
Dry Weight	3500 lbs.	1588 kg
Boat Certified Capacity	11 persons	
Boat Certified Capacity w/gear	1515 lbs.	687 kg

ENGINE OPTIONS

Anti-Corrosion System
DTS (Merc)
EVC (Volvo)
Ocean-X (Volvo)
Seacore (Merc)
Tow Mode (Volvo EVC)

MERCRUISER STERNDRIVE POWER

350 Mag MPI ECT B3	300 hp	224 PkW
4.3 L MPI Alpha (non-cat)	220 hp	164 PkW
4.3 L MPI B3 (non-cat)	220 hp	164 PkW
4.3 L MPI ECT Alpha	220 hp	164 PkW
4.3 L MPI ECT B3	220 hp	164 PkW
4.5 L MPI ECT Alpha	250 hp	186 PkW
4.5 L MPI ECT B3	250 hp	186 PkW
5.0 L MPI ECT B3	260 hp	193 PkW

VOLVO PENTA STERNDRIVE POWER

V6-225 DP (non-cat)	225 hp	168 PkW
V6-225 SX (non-cat)	225 hp	168 PkW
V8-225C DP	225 hp	168 PkW
V8-225C SX	225 hp	168 PkW
V8-270C DP	270 hp	201 PkW
V8-270C SX	270 hp	201 PkW
V8-300C DP	300 hp	224 PkW

210 WSS



COBALT 210 WSS



SPECIFICATIONS

Length Overall w/o Swim Platform	20' 4"	6.20 m
Length Overall w/ Swim Platform	22' 5"	6.83 m
Beam	8' 6"	2.59 m
Interior Cockpit Width	89"	2.26 m
Deadrise at Transom	20°	20°
Fuel Capacity	40 gal.	151 L
Freshwater Capacity	10 gal.	38 L
Bridge Clearance w/Arch or Tower	7' 7"	2.31 m
Draft Drive Up	24"	.61 m
Draft Drive Down	36"	.92 m
Dry Weight	3850 lbs.	1746 kg
Boat Certified Capacity	12 persons	
Boat Certified Capacity w/gear	1650 lbs.	748 kg

ENGINE OPTIONS

Anti-Corrosion System
DTS (Merc)
EVC (Volvo)
Ocean-X (VOL 300-320hp)
Seacore (Merc)
Tow Mode (Volvo EVC)

MERCRUISER STERNDRIIVE POWER

350 Mag MPI ECT B3	300 hp	224 PkW
4.3 L MPI Alpha (non-cat)	220 hp	164 PkW
4.3 L MPI B3 (non-cat)	220 hp	164 PkW
4.3 L MPI ECT Alpha	220 hp	164 PkW
4.3 L MPI ECT B3	220 hp	164 PkW
4.5 L MPI ECT Alpha	250 hp	186 PkW
4.5 L MPI ECT B3	250 hp	186 PkW
5.0 L MPI ECT B3	260 hp	193 PkW

VOLVO PENTA STERNDRIIVE POWER

V6-225 DP (non-cat)	225 hp	168 PkW
V6-225 SX (non-cat)	225 hp	168 PkW
V8-225C DP	225 hp	168 PkW
V8-225C SX	225 hp	168 PkW
V8-270C DP	270 hp	201 PkW
V8-270C SX	270 hp	201 PkW
V8-300C DP	300 hp	224 PkW



220 WSS

COBALT 220 WSS



SPECIFICATIONS

Length Overall w/o Swim Platform	21' 4"	6.50 m
Length Overall w/ Swim Platform	22' 10"	6.96 m
Beam	8' 6"	2.54 m
Interior Cockpit Width	89"	2.54 m
Deadrise at Transom	20°	20°
Fuel Capacity	50 gal.	189 L
Freshwater Capacity	10 gal.	38 L
Bridge Clearance w/Arch or Tower	7' 7"	2.08 m
Draft Drive Up	24"	.61m
Draft Drive Down	36"	.94m
Dry Weight	3850 lbs.	1746 kg
Boat Certified Capacity	12 persons	
Boat Certified Capacity w/gear	1,695 lbs.	768 kg

ENGINE OPTIONS

Anti-Corrosion System
 DTS (Merc)
 EVC (Volvo)
 Ocean-X (VOL 300-320hp)
 Seacore (Merc)
 Tow Mode (Volvo EVC)

MERCRUISER STERNDRIVE POWER

350 Mag MPI ECT B3	300 hp	224 PkW
377 Mag MPI ECT B3	320 hp	239 PkW
4.3 L MPI Alpha (non-cat)	220 hp	164 PkW
4.3 L MPI B3 (non-cat)	220 hp	164 PkW
4.3 L MPI ECT Alpha	220 hp	164 PkW
4.3 L MPI ECT B3	220 hp	164 PkW
4.5 L MPI ECT Alpha	250 hp	186 PkW
4.5 L MPI ECT B3	250 hp	186 PkW
5.0 L MPI ECT B3	260 hp	193 PkW

VOLVO PENTA STERNDRIVE POWER

V6-225 DP (non-cat)	225 hp	168 PkW
V6-225 SX (non-cat)	225 hp	168 PkW
V8-225C DP	225 hp	168 PkW
V8-225C SX	225 hp	168 PkW
V8-270C DP	270 hp	201 PkW
V8-270C SX	270 hp	201 PkW
V8-300C DP	300 hp	224 PkW
V8-320C DP	320 hp	239 PkW

R₃WSS



COBALT R₃ WSS



SPECIFICATIONS

Length Overall w/Swim Platform	23' 10"	7.26m
Beam	8' 6"	2.59 m
Interior Cockpit Width	95"	2.41 m
Deadrise at Transom	21°	21°
Fuel Capacity	50 gal.	189 L
Freshwater Capacity	10 gal.	38 L
Bridge Clearance w/o Bimini	62"	1.57 m
Bridge Clearance w/Bimini	89"	2.26 m
Bridge Clearance w/Arch or Tower	96"	2.44 m
Draft Drive Up	21"	.53 m
Draft Drive Down	37"	.94 m
Dry Weight	4450 lbs.	2018 kg
Boat Certified Capacity	12 persons	
Boat Certified Capacity w/gear	1800 lbs.	816 kg

ENGINE OPTIONS

Anti-Corrosion System
DTS (Merc)
EVC (Volvo)
Ocean-X (Volvo)
Seacore (Merc)
Tow Mode (Volvo EVC)

MERCURISER STERNDRIIVE POWER

350 Mag MPI ECT B3	300 hp	224 PkW
377 Mag MPI ECT B3	320 hp	239 PkW
8.2 Mag ECT B3	380 hp	283 PkW
8.2 Mag HO ECT B3	430 hp	321 PkW

VOLVO PENTA STERNDRIIVE POWER

V8-300C DP	300 hp	224 PkW
V8-320C DP	320 hp	239 PkW
V8-350C DP	350 hp	257 PkW
V8-380C DP	380 hp	283 PkW
V8-430CE DP (includes EVC)	430 hp	321 PkW



R5 WSS

COBALT R5 WSS



SPECIFICATIONS

Length Overall w/Swim Platform	25' 8"	7.82 m
Beam	8' 6"	2.59 m
Interior Cockpit Width	95"	2.41 m
Deadrise at Transom	21°	21°
Fuel Capacity	50 gal.	189 L
Freshwater Capacity	10 gal.	38 L
Bridge Clearance w/o Bimini	64"	1.63 m
Bridge Clearance w/Bimini	91"	2.31 m
Bridge Clearance w/Arch or Tower	98"	2.49 m
Draft Drive Up	21"	.53 m
Draft Drive Down	37"	.94 m
Dry Weight	4880 lbs.	2214 kg
Boat Certified Capacity	14 persons	
Boat Certified Capacity w/gear	2250 lbs.	1021 kg

ENGINE OPTIONS

Anti-Corrosion System
DTS (Merc)
EVC (Volvo)
Ocean-X (Volvo)
Seacore (Merc)
Tow Mode (Volvo EVC)

MERCURISER STERNDRIIVE POWER

350 Mag MPI ECT B3	300 hp	224 PkW
377 Mag MPI ECT B3	320 hp	239 PkW
8.2 Mag ECT B3	380 hp	283 PkW
8.2 Mag HO ECT B3	430 hp	321 PkW

VOLVO PENTA STERNDRIIVE POWER

V8-300C DP	300 hp	224 PkW
V8-320C DP	320 hp	239 PkW
V8-350C DP	350 hp	257 PkW
V8-380C DP	380 hp	283 PkW
V8-430CE DP (includes EVC)	430 hp	321 PkW



R7 WSS

COBALT R7 WSS



SPECIFICATIONS

Length Overall w/Swim Platform	27' 6"	8.38 m
Beam	8' 6"	2.59 m
Interior Cockpit Width	95"	2.41 m
Deadrise at Transom	21°	21°
Fuel Capacity	77 gal.	291 L
Freshwater Capacity	10 gal.	38 L
Bridge Clearance w/o Bimini	64"	1.63 m
Bridge Clearance w/Bimini	91"	2.31 m
Bridge Clearance w/Arch or Tower	98"	2.49 m
Draft Drive Up	21"	.53 m
Draft Drive Down	37"	.94 m
Dry Weight	5600 lbs.	2540 kg
Boat Certified Capacity	Yacht Certified	
Boat Certified Capacity w/gear	Yacht Certified Yacht	
Certified		

ENGINE OPTIONS

Anti-Corrosion System
DTS (Merc)
EVC (Volvo)
Ocean-X (Volvo)
Seacore (Merc)
Tow Mode (Volvo EVC)

MERCURISER STERNDRIIVE POWER

350 Mag MPI ECT B3	300 hp	224 PkW
377 Mag MPI ECT B3	320 hp	239 PkW
8.2 Mag ECT B3	380 hp	283 PkW
8.2 Mag HO ECT B3	430 hp	321 PkW

VOLVO PENTA STERNDRIIVE POWER

V8-300C DP	300 hp	224 PkW
V8-320C DP	320 hp	239 PkW
V8-350C DP	350 hp	257 PkW
V8-380C DP	380 hp	283 PkW
V8-430CE DP (includes EVC)	430 hp	321 PkW

24SD WSS



COBALT 24SD WSS



SPECIFICATIONS

Length Overall w/ Swim Platform	24' 6"	7.47 m
Beam	8' 6"	2.59 m
Interior Cockpit Width	91"	2.31 m
Deadrise at Transom	21°	21°
Fuel Capacity	50 gal	189 L
Freshwater Capacity	10 gal	37.8 L
Holding Tank Capacity	10 gal	37.8 L
Bridge Clearance w/o Bimini	4' 11"	1.50 m
Bridge Clearance w/Arch or Tower	8' 1"	2.46 m
Draft Drive Up	25"	.63 m
Draft Drive Down	37"	.94 m
Dry Weight	4800 lbs	2177 kg
Boat Certified Capacity	13 persons	
Boat Certified Capacity w/gear	1850 lbs	839 kg

ENGINE OPTIONS

Anti-Corrosion System
DTS (Merc)
EVC (Volvo)
Ocean-X (Volvo)
Seacore (Merc)
Tow Mode (Volvo EVC)

MERCURISER STERNDRIIVE POWER

350 Mag MPI ECT B3	300 hp	221 PkW
377 Mag MPI ECT B3	320 hp	239 PkW
8.2 Mag ECT B3X	380 hp	283 PkW
8.2 Mag HO ECT B3X	430 hp	321 PkW

VOLVO PENTA STERNDRIIVE POWER

V8-300C DP	300 hp	221 PkW
V8-320C DP	320 hp	239 PkW
V8-350C DP	350 hp	257 PkW
V8-380C DP	380 hp	283 PkW
V8-430CE DP (includes EVC)	430 hp	321 PkW

26SD **WSS**



COBALT 26SD **WSS**



SPECIFICATIONS

Length Overall w/ Swim Platform	26' 2"	7.97 m
Beam	8' 6"	2.59 m
Interior Cockpit Width	91"	2.31 m
Deadrise at Transom	21°	21°
Fuel Capacity	69 gal	261 L
Freshwater Capacity	10 gal	37.8 L
Bridge Clearance w/o Bimini	4' 11"	1.50 m
Bridge Clearance w/Arch or Tower	6' 7"	2.02 m
Draft Drive Up	27"	.69 m
Draft Drive Down	39"	.99 m
Dry Weight	5500 lbs	2495 kg
Boat Certified Capacity	Yacht Certified	
Boat Certified Capacity w/gear	Yacht Certified	

ENGINE OPTIONS

Anti-Corrosion System
DTS (Merc)
EVC (Volvo)
Ocean-X (Volvo)
Seacore (Merc)
Tow Mode (Volvo EVC)

MERCURISER STERNDRIIVE POWER

350 Mag MPI ECT B3	300 hp	221 PkW
377 Mag MPI ECT B3	320 hp	239 PkW
8.2 Mag ECT B3X	380 hp	283 PkW
8.2 Mag HO ECT B3X	430 hp	321 PkW

VOLVO PENTA STERNDRIIVE POWER

V8-300C DP	300 hp	221 PkW
V8-320C DP	320 hp	239 PkW
V8-350C DP	350 hp	257 PkW
V8-380C DP	380 hp	283 PkW
V8-430CE DP (includes EVC)	430 hp	321 PkW

COBALT BOATS

It is a relationship like no other – boats and their owners. It is that first grip at the helm that releases a sense of assurance down the spine. At that very moment...a promise is made. With each ride, with each cruise comes conversation, laughter and pure enjoyment afloat. At that very moment, a bond is formed on trust, but not just that, a type of trust that feels like family. And with that trust arises a certain lifestyle, an opportunity for families to come together and enjoy what life is truly about. It is a type of confidence that only a Cobalt can instill in its owner.

Cobalt Boats is a company that believes the best work is done by hand. And with heart. Those intricate tools allow us to craft with knowledge, imagination, a careful eye, the best boat on the water. We understand the role of technology in this digital age, but we know better than to let it drive us completely away from the personal touches that hand craftsmanship ensures. As we embrace this in many ways, we equally embrace the skillful experience of our associates. For almost fifty years, this has been our philosophy and we are not changing now.

Our Cobalt family believes we have a unique opportunity to enrich life, to help create life-long memories, to arouse a passion for the boating lifestyle. We vow to work tirelessly, creating the most innovative, well-engineered, and best performing boats imaginable. We vow to let our work be consumed by every little detail, every aspect of fit and finish.

This classic tradition will continue in our daily pursuit to build not just boats, but deep personal possessions. We will continue on with our philosophy of compromising absolutely nothing, especially when it comes to constructing piece by piece a watercraft that will create memories of a lifetime.

Here's to another year of building, with our own hands, a vehicle that glides across the water, a boat that utters luxury and perfection. So read on, we say. Consume yourself in the images and lyrics of a boating lifestyle. We are excited to share Cobalt's passions and why we do what we do for our customers everyday. You drive us to exceed your expectations. Thank you and welcome to the family.

THERE'S NO PLACE I'D RATHER BE.



COBALT BOATS

Fine Detailed Interiors

Cobalt interiors speak of timeless sophistication, a subtle elegance made possible only by hand-craftsmanship, by design that anticipates the needs and wishes of boaters worldwide. Personally crafted, a seamless composition of luxurious upholstery paired with oil rubbed macassar trim. Details that make everyone aboard marvel in her beauty and sophistication. All of this, engineered, designed, and crafted with pride by Cobalt.

Move about and feel the warmth of premium materials, bringing to life a space so real, so home. The feeling is relaxed as you glance through the textural variations and intricately detailed furnishings aboard. The finest marine-grade fabrics available wrapped around you in comfort, in style.

And stand behind the helm for an even more distinguished presence. Feel the details of the leather wrapped steering wheel, its smooth nature and ravishing digital design. Beneath the feet lies our stunning and durable sea grass weave flooring, an option that expresses a modern touch. It is these finely detailed interiors, these little nuances that create the best boat on the water...

- Hand-sewn interior details
- Double-needle stitching
- Hand crafted helm with detailed stitching
- Wood dash and trim package
- Digital multi-function gauges and aircraft inspired stainless steel switches

Cobalt's Varadense seating construction utilizes variable densities of foam layered for exceptional support and comfort. Our composite seat bases provide the confidence of a rot free foundation.



COBALT BOATS

Exceptional Methods of Construction

The beauty of a Cobalt boat runs as deep as the deepest ocean. Cobalt's lamination schedule begins with a premium buff-back gel coat which provides the legendary mirror like finish. A barrier coat incorporates a protective seal for a brilliantly smooth base coat and unparalleled blister resistance. Cobalt laminates, by hand, up to 16 alternating layers of fiberglass and woven roving to build a structural hull designed and crafted for a lifetime of boating pleasure. The honeycomb composite coring is integrated in flooring surfaces to optimize strength-to-weight ratios and to maximize sound dampening and vibration resistance. Gelcoat, graphic accents ensure that the style lines luster will shine for many years to come.

- Barrier coat – a Cobalt exclusive
- 100% hand-laid hulls, reinforced with Kevlar™
- Composite construction on all structural components
- Cushioned lids with knuckled hinges for easy access to storage
- Exceptional stainless hardware
- Integrated bow eye with a scuff plate for protection from trailer marks
- Gelcoat graphics

Rest assured that the little details of construction do their work quietly, contributing to big enjoyment when no one but you need notice.


Hand Laid Hull Side

24oz. Woven Roving
Fiberglass Mat
Fiberglass Mat
Spraycor®
Fiberglass Mat
Fiberglass Mat
Barrier Coat
Gelcoat

HAND LAYER HULL CONSTRUCTION

Hand Laid Hull Bottom

24oz. Woven Roving
Fiberglass Mat
24oz. Woven Roving
Fiberglass Mat
Fiberglass Mat
Fiberglass Mat
24oz. Woven Roving
Fiberglass Mat
Barrier Coat
Gelcoat



COBALT BOATS

Customer Inspired Innovations

The Swim Platform

Cobalt's swim platforms are large, welcoming and safe, suspended just above the waterline for easy use in all water-borne activities. Oversized, polished stainless steel tubing wraps every platform to protect the boat when docked. Cobalt's exclusive and patented swim step requires only two easy flips: down to use, back to stow. The swim step makes boarding your Cobalt a breeze, and provides a perfectly cool resting area. Illuminate the platform above or below the waterline with option choices to suit your desires.



Industry Firsts and Real-World Solutions

For almost fifty years, Cobalt has brought innovative functionality to the marketplace. Other marine manufacturers have followed suit. Again this year, we will show an entire industry exactly the way to go.

- Stainless-steel adjustable stanchions to secure and tighten bimini tops with innovative built-in turnbuckle -- no fabric straps here
- Our often-imitated, never-duplicated flip-lip seat bolster – the captain sits high and comfortable, enjoying the full thrill of the ride
- A safer latch for the windshield walk-thru, holding the door securely open – yet another Cobalt first
- Cobalt's extended running surface for quicker planing, firm and true turns, minimized bow rise, and greater lift at the stern
- Cobalt's Sof-Trac mat dresses up your swim platform and is gentle on swim suits and wakeboards, and tremendous traction, even when wet
- Our fender clips deploy your fenders smartly and quickly, always in the right place, and keep your deck cleats free for dock lines



TRANSFERABLE WARRANTY

10-5-3

Ten Year Protection

Hull & Deck Structure: Floors, stringers, bulkheads, motor mounts, transom, all deck and hull joints

Five Year Protection

Engine: Internally lubricated parts

Stern Drive: Internally lubricated parts in upper and lower housings, stern drive control system: power steering pump, power steering cooler, TVM module, TVM cylinder, joystick

Intermediate Housing: Shaft, U-joints, bearings

Steering: Helm, rack, cable, pump, seals and gaskets

Power Trim: Pump, cylinders, solenoids, switches, seals and gaskets

Electrical: Alternator, voltage regulator, electronic ignition module, ignition coil, starter motor, wiper motor, engine wiring harness, courtesy lights, docking lights, battery switch, battery isolator, bow light, horn, anchor light, spotlight, blower motor, electric hatch motor and switch

Fuel Delivery: Fuel injection control units and injectors, fuel injection pump, fuel injector rails, fuel delivery pump, flame arrestor

Controls: Control box, neutral safety switch, cables

Instrumentation: Tachometer, oil pressure, volt gauge, hour meter, speedometer, engine temperature, trim gauge, fuel gauge, air/water temperature

Accessories: Air conditioner, cockpit heater, engine battery charger, compass, depth finder, transducer and wiring harness, generator, refrigerator, galley sink and faucet, shore power, stainless steel deck railings, stainless steel rubrail, stainless steel hardware, stereo/CD player, amplifier(1), dash stereo remote, trim tabs, freshwater pump, toilet, stove, microwave, windlass

Electronics: Radar, GPS, VHF radio

Non-Defect Failures: Overheating, pre-ignition, detonation, scored pistons, scored cylinders, tuliped valves, carbonized rings, heat collapsed rings, burnt valves, bent valves, warped heads, heat cracked heads and block (excludes freezing), thermostat failures, sensor failures

Additional Benefits: Choice of towing, dock side assistance, hoist and lift out or pick up and delivery. Taxes, shop supplies, lubricants, coolants, filters, spark plugs, hoses, clamps, belts, engine tuning, and lake/sea trial when necessary for a covered repair.

Three Year Protection

Gelcoat Finish: Protection from stress cracks, air voids or blisters

Upholstery/Canvas: Protection from defective materials or workmanship

Components: Manufactured by Cobalt


See written warranties for specific coverage. Coverage is subject to change and may vary outside the U.S.A.



2015 COLOR SELECTIONS

Cockpit Interiors


SADDLE INTERIOR
with standard carpet




CESARA
carpet option



SEAGRASS
carpet option




TERRA BROWN INTERIOR
with standard carpet



CESARA
carpet option



SEAGRASS
carpet option




GENEVA INTERIOR
with standard carpet




CESARA
carpet option



SEAGRASS
carpet option



TAHOE GREY INTERIOR
with standard carpet




SEAGRASS
carpet option



Cabin Interiors


COASTAL BLUE




SEA SPRAY



SUNSET



Exterior Colors and Graphic Styles



3 COLOR CUSTOM GRAPHICS

White base gelcoat with any primary hull color plus an accent. Available on all models.



CLASSIC GRAPHICS

White base gelcoat with one primary hull color. Available on all models.



SPORT GRAPHICS

White hull with a single accent stripe. Available on all models.



FULL COLOR HULL BOTTOM

Primary hull color fully to the keel. Not available on A-Series or models 296 and larger.



ALL WHITE

White hull and deck. Available on all models.



3 COLOR CUSTOM WITH EDGE GRAPHICS

White base with any side hull color plus boot stripe and edge arc accent. R models only.




CLASSIC WITH EDGE GRAPHICS

White base with any side hull color plus edge arc accent. R models only.




SPORT WITH EDGE GRAPHICS

White base with boot stripe and edge arc accent. R models only.



WSS GRAPHICS

Select from multiple available color configurations at www.CobaltBoats.com.



Actual colors may vary due to the limitations of the display method and the light under which they are viewed. Consult your Cobalt dealer as equipment and specifications are subject to change without notice.